



WELTERWEIGHT™



IMPACTABLE DESIGN! EST. 1994

RETRACTABLE PLUNGERS!

PANEL-MOUNTED WEATHERSEAL!

HEAVY-DUTY TRACK!





WELTERWEIGHT™

Ideal For Facilities with:

- Moderate panel damage
- Moderate to severe track damage
- Greater budget sensitivity

Damaged dock doors are a common problem for busy loading docks and drain valuable resources that affect your bottom line. The TKO WelterWeight® Dock Door is designed to prevent damage to the door panels and track when impacted.



DESIGN BENEFITS

1. Full height 12 gauge galvanized steel track standard
2. Optional Impact-A-Track™ provides total protection against the most abusive impacts from top to bottom. 3', 6' or full height available. **5-YEAR IMPACT WARRANTY**
3. 2" thick insulated, foam core panel with damage resistant polymer interior facing. **1-YEAR PERFORMANCE WARRANTY**
4. Heavy-duty, retractable plungers allow door to release from the opening upon impact
5. Tight perimeter weatherseal incorporates a brush seal and loop seal to eliminate air infiltration and light gaps. Seal is attached to the door panel versus the door jamb, keeping it out of harms way, providing a consistent seal
6. Heavy-duty zinc-plated steel hinges
7. One lock for security
8. Rugged door lifting handles (*two per door*)
9. Flexible bottom seal for airtight fit to the floor



Retractable Plunger



Panel-Mounted Weatherseal



Super Bottom Panel

OPTIONS & ACCESSORIES

- ☐ Super Bottom Panel adds strength and durability where most impacts occur. **2-YEAR PERFORMANCE WARRANTY** (*white or gray in color*)
- ☐ Double Knockout Header track allows the door to knock out in both directions at the top of the door opening (*vertical lift track only*)
- ☐ Single Pane, Double Pane or Vented Rectangular Windows
- ☐ Anti-drift down lock prevents door from drifting down when springs are not adjusted properly (*vertical lift track only*)
- ☐ Power operation or manual chain hoist
- ☐ Bottom brush seal in addition to loop seal
- ☐ E-lift Adjustable CounterWeight System in lieu of springs



Double Knockout Header



Single Pane Vented Window



WELTERWEIGHT DOOR RESET, EASY AS 1, 2, 3



1. Door is knocked out upon impact.



2. Simply pull attached cable or handles to reset the door.
NO TOOLS REQUIRED!



3. Door is operational quickly.
NO SUSTAINED DAMAGE!

**Let us show you how TKO can improve your productivity.
Contact us to schedule a demo at your dock!**



TKO Dock Doors
N56 W24701 Corporate Cr.
Sussex, WI 53089
tel: 1-877-408-6788
fax: 1-262-820-1273
email: sales@tkodoors.com
web: www.tkodoors.com

1-877-408-6788
www.tkodoors.com

A continuing research program is in effect at TKO Dock Doors. We reserve the right to incorporate product improvement at any time without prior notice.

